

PARRY SOUND AREA LAKE SUMMARIES

Brought to you compliments of: Gord Pollock, Broker Century 21 Granite Properties Ltd Brokerage 33 James Street, Parry Sound, Ontario P2A 1T6 Business: 705-746-2158, Fax: 705-746-4746 Residence: 705-746-4816, Cell: 705-774-0955

Website: www.gordpollock.com Email: gord@gordpollock.com

Cranberry Lake

Created: June 03 Revised:

Location:

MNR District:	Parry Sound
Geographic Township:	Harrison
Municipal Township:	Archipelago
Watershed:	Flows into Georgian Bay
Angling Division:	15

Basin and Terrain Characteristics:

Lake Survey Year:	1978
Surface Area:	45.9 hectares
Maximum Depth:	2.1 meters
Mean Depth:	1.4 meters
Perimeter:	4.7 km
Island shoreline:	0.0 km
Littoral Zone:	
Thermal Regime:	Warm
Shoreline Development:	4 Cottages
Access Points:	Road (Private)
Water Level:	
Crown Land:	95% Shoreline

Water Quality:

(Parameters pertain to fisheries habitat only. For information on potability of water or contaminates, contact Min. of Health and Min. of Environment.)

Secchi reading:1.5 metersColour:Yellow Brown

 Dissolved Oxygen:
 13.7 mg/l – Level 4 Low Sensitivity (MOE, 1989)

 pH:
 7.5

 Total Phosphorus:
 21

"Guide to eating fish": No Information

Fisheries:

- Game Fish Species: Walleye(1940), Largemouth Bass(1983), Northern Pike(1983), Yellow Perch(1983), Rock Bass(1983), Black Crappie(1983)
- Other species present: Bowfin(1983), Pumpkinseed(1983), Golden Shiner(1983), Brown Bullhead(1983), Iowa Darter(1983)

Exotic Species:

Stocking Record: 1979 Largemouth Bass 238 adult 1940 Walleye 100,000 fry

Stress Type:

Use Type: Recreation, Recreational Fishing

Summary of Fisheries Studies / Reports:

1986 Trapnet Survey

Trapnet catches; Northern Pike – 96, Largemouth Bass – 84, Bowfin – 50, Pumpkinseed – 292, Yellow Perch – 23, Brown Bullhead – 1,534, Black Crappie – 410 & Golden Shiner - 2

1983 Inland Lake Assessment – Cranberry Lake

- No largemouth bass from the 1979 planting were captured.
- Eight largemouth bass captured does represent some natural reproduction.
- Information gathered indicates the establishment of a self-sustaining largemouth bass fishery has failed.

Baldwin, R.W. 1980 Largemouth Bass Transfers & Introductions 1979

• 238 adult and sub-adult largemouth bass transferred from Yarrow(91), Windfall(61), Nevelle(34) and Brennan(52) Lakes

Baldwin, R.W. 1980 Coarse Fish Removal From Inland Lakes During 1978 & 1979

- 1978 coarse fish removal; 1,500 Brown Bullhead
- 1979 coarse fish removal; 3.197 Brown Bullhead & 45 Bowfin

Thurston, L.D.W. 1978 Comparison of Eight Bass Fisheries

- Excellent largemouth bass habitat exists but few bass were found.
- Speculates the large number of brown bullheads is directly competing with bass.

Management Prescription: